Amendments to the Claims:

1.   (Previously presented) A method for representing header and footer structures in a markup language document, comprising:

determining properties corresponding to a mini-document that relates to at least one section of an application document, wherein the mini-document includes at least one member of a group comprising: a header and a footer;

mapping the properties of the mini-document into a markup language element, wherein mapping the properties includes mapping a type attribute that corresponds to an occurrence pattern of the mini-document within the application document, wherein mapping includes mapping the properties into a context free chunk element; and

storing the properties of the mini-document in the markup language document.

2-3.   (Cancelled)

4.   (Previously presented) The method of Claim 1, wherein the type attribute corresponds to whether the mini-document occurs on a first page, odd pages, or even pages of the specified section of the application document.

5.   (Cancelled)

6.   (Previously presented) The method of Claim 1, further comprising:

determining properties corresponding to an additional mini-document that relates to at least one section of the application document;

mapping the properties of the additional mini-document into a markup language element, wherein mapping includes mapping the properties into at least one member of a group comprising: a context free chunk element and a table element; and

storing the properties of the additional mini-document in the markup language document.

7.   (Original) The method of Claim 1, further comprising:

determining whether properties associated with all mini-documents of the application document have been stored in the markup language document; and

processing further mini-documents when the properties associated with all mini-documents have not been stored in the markup language document.

8.   (Original) The method of Claim 1, wherein the properties of the mini-document stored in the markup language document are understood by an application that understands the markup language when the mini-document is not native to the application.

9.   (Original) The method of Claim 1, wherein the markup language document is manipulated on a server to substantially reproduce the mini-document of the application document notwithstanding the presence of an application that generated the markup language document.

10.   (Previously presented) A computer-readable medium for representing headers and footers in a markup language document, comprising:

determining properties relating to a mini-document used within a word-processing document;

determining whether the mini-document is at least one member of a group comprising: a header and a footer;

writing the properties into a markup language element, wherein writing the properties includes mapping a type attribute that corresponds to an occurrence pattern of the mini-document within the word-processing document, wherein writing includes writing the properties into a context free chunk element; and

storing the properties in the markup language document such that the headers and footers of the word-processing document are substantially maintained when the markup language document is parsed by an application.

11.   (Original) The computer-readable medium of Claim 10, wherein the markup language document is manipulated on a server to substantially reproduce the mini-document of the word-processing document notwithstanding the presence of an application that generated the markup language document.

12.   (Original) The computer-readable medium of Claim 10, wherein the properties of the mini-document stored in the markup language document are understood by an application that understands the markup language when the mini-document is not native to the application.

13.   (Cancelled)

14.   (Original) The computer-readable medium of Claim [[13]] 10, wherein the type attribute corresponds to whether the mini-document occurs on a first page, odd pages, or even pages of the specified section of the word-processing document.

15.   (Cancelled)

16.   (Previously presented) The computer-readable medium of Claim 10, further comprising:
        determining properties corresponding to an additional mini-document that relates to at least one section of the word-processing document;
        mapping the properties of the additional mini-document into a markup language element, wherein mapping includes mapping the properties into at least one member of a group comprising: a context free chunk element and a table element; and
        storing the properties of the additional mini-document in the markup language document.

17.   (Original) The computer-readable medium of Claim 10, further comprising:
        determining whether properties associated with all mini-documents of the word-processing document have been stored in the markup language document; and

processing further mini-documents when the properties associated with all mini-documents have not been stored in the markup language document.

18.   (Previously presented) A system for representing header and footer information in a markup language document, comprising:

a processor; and

a memory associated with computer-executable instructions configured to:

determine properties relating to a mini-document included in at least one section of an application document;

determine whether the mini-document is at least one member of a group comprising: a header and a footer;

map the properties into a markup language element, wherein mapping the properties includes mapping a type attribute that corresponds to an occurrence pattern of the mini-document within the application document, wherein mapping includes mapping the properties into a context free chunk element; and

store the properties in the markup language document; and

a validation engine configured to validate the markup language document.

19.   (Previously presented) The system of Claim 18, wherein the application is further configured to:

determine properties corresponding to an additional mini-document that relates to at least one section of the application document;

map the properties of the additional mini-document into a markup language element, wherein mapping includes mapping the properties into at least one member of a group comprising: a context free chunk element and a table element; and

store the properties of the additional mini-document in the markup language document.

20.   (Original) The system of Claim 18, wherein the application is further configured to:

determine whether properties associated with all mini-documents of the application document have been stored in the markup language document; and

process further mini-documents when the properties associated with all mini-documents have not been stored in the markup language document.

21.   (Original) The system of Claim 18, wherein the properties of the mini-document stored in the markup language document are understood by an additional application that understands the markup language when the mini-document is not native to the additional application.

22.   (Original) The system of Claim 18, wherein the markup language document is manipulated on a server to substantially reproduce the mini-document of the application document notwithstanding the presence of the application that generated the markup language document.